

W

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-2548 (Rev. 2-52)

CONEYISLANDLIGHTHOUSE.COM

RECORD OF INSPECTIONS

INCLUDING INSTRUCTIONS FOR
OFFICER-IN-CHARGE

Coney Island Light Station
(Name of unit)
3rd District. From *April*, 19*68*
to *August*, 19*84*

U. S. GOVERNMENT PRINTING OFFICE 16-19079-1

INSTRUCTIONS

1. Record of inspections as provided herein shall be maintained at such units as required by the District Commander. A separate page shall be used for each inspection, but more than one page may be used when necessary.

2. At each inspection the district inspecting officer will note herein in sufficient detail the condition of any part of the unit not found satisfactory, including buildings and grounds, apparatus and equipment, records, personnel, etc., and will also set down proper instructions for the Officer-in-charge as to work to be done or action to be taken by him.

3. The Officer-in-charge will be held accountable for such work or action as may be directed by the district inspection officer and as noted in the records of inspections; and will state in the space provided therefor the action taken by him, with signature and date. No other statements or remarks shall be made by Officer-in-charge on this record. Inability to carry out instructions should be reported promptly by letter to the District Commander.

4. Before proceeding with the regular inspection the district inspecting officer should consult the records of the previous inspection, with especial reference to unsatisfactory conditions and instructions to Officer-in-charge relative thereto; and then make such preliminary inspection as may be necessary to ascertain whether the instructions given Officer-in-charge at previous inspection have been properly carried out. Failure to carry out instructions shall be noted in the inspection record book in detail.

Approved: March 3, 1952.

Merlin O'Neill
MERLIN O'NEILL, Vice Admiral,
U. S. Coast Guard,
Commandant.

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 16 April, 1968

Inspection made by J. H. Dunbar CWO-3

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Ground station and grounds in excellent
condition. Main tower in need of painting.
District is aware of situation.

J. H. Dunbar CWO-3

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No action needed.

Frank P. Schmitt
(Signature of Officer-in-charge)
16 April, 1968
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 12 July, 1968

Inspection made by CCGD-3 (eee)

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Inspected radio beacon equipment. Pending installation of new calibration equipment will replace present gear. Station and equipment in excellent condition.

*Robert H. Cassin
ST USC6*

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) *No action needed*

Frank P. Schubert
(Signature of Officer-in-charge)
12 July, 1968
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 15 July, 1968

Inspection made by J. H. Lumbauer Ch Mach W-3

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

As usual, found station to be in excellent condition. Tower is being painted by Mr. Schubert and is coming along fine. What remains will have to be done on contract by the electrician.

J. H. Lumbauer Ch Mach W-3

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) *No action needed*

Frank P. Schubert
(Signature of Officer-in-charge)
15 July, 1968
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 2 October, 1968

Inspection made by Group New York

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

*Made material inspection this date -
Found lighthouse, quarters and grounds
in good condition + excellent appearance.*

D. Hudson

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No action needed

Frank P. Schubert
(Signature of Officer-in-charge)

2 October, 1968
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 16 April, 1969

Inspection made by Group New York

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

*Made inspection this date - as usual the
unit is in excellent condition, the O-in-C being
outstanding, no further comment is required.*

[Signature]
Group New York

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No action needed

Frank P. Schubert
(Signature of Officer-in-charge)

16 April, 1969
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 17 June, 1969

Inspection made by LCDR P. Sora & Mr. W. Lundrum

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Held a staff inspection. No major deficiencies noted. Condition of station excellent.

P. Sora
St. B. Lundrum

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No action needed

Frank P. Schubert
(Signature of Officer-in-charge)

17 June, 1969
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 8 September, 1969

Inspection made by Lcdr H. A. Purdy

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Made routine inspection of station & material. No deficiencies noted. Overall condition of buildings and grounds is very good - Contract funds on painting of tower. District (see) representatives present concerning installation of new radio beacon equipment.

Purdy LCDR USN

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No action needed

Frank P. Schubert
(Signature of Officer-in-charge)

8 Sept, 1969
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 18 November, 19 69
 Inspection made by Distal Inspection Staff

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Visited station in company with
hqs W. M. Doreaux (ECV) and Inspr
J. M. Redmond (CAH) and hqs H. Porty
Group New York observer to conduct
Distal Inspection of Unit - Report
a inspection will be prepared.
Station presents a neat clean and
creditable appearance.

Frank P. Schubert
Chief U.S.C.

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No action needed

Frank P. Schubert
 (Signature of Officer-in-charge)
18 Nov., 19 69
 (Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 8 April, 19 70
 Inspection made by C. R. Finn Group Ator Officer

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Inspected station and found to
be in usual excellent condition.
Discussed problems which will be
taken care of at Group level.

C. R. Finn Ator, USCG

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No action needed

Frank P. Schubert
 (Signature of Officer-in-charge)
8 April, 19 70
 (Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 17 April, 1970

Inspection made by District Chief, Engineering Division

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Visited for purpose of familiarization.
Unit in fine condition. Group will
include new access road on planned
obligation program — also, repainting
light.

RW Goode
Captain, USCG.

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No action needed

Frank P. Schubert
(Signature of Officer-in-charge)

17 April, 1970
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 17 June, 1970

Inspection made by Group Atton Officer

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Remarks as before. Station in
usual excellent condition. All equip-
ment operating in good condition.

DRH CWS-4
USCG

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No action needed

Frank P. Schubert
(Signature of Officer-in-charge)

17 June, 1970
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 31 December, 19 70

Inspection made by C.R. Finn, CWO-4, USCG

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Inspected station, usual excellent housekeeping. Station in same condition as before. Painting of tower and roadway fenders.

C.R. Finn, CWO-4, USCG

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No action needed

Frank P. Schubert

(Signature of Officer-in-charge)

31 December, 19 70

(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 28 JAN, 19 71

Inspection made by W.B. GUNDRUM - DISTRICT SAFETY ENGINEER

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Conducted safety and fire prevention inspection of station buildings and grounds. Station appears neat and well maintained, equipment is in good operating condition.

W. B. Gundrum
District Safety Engineer

Accompanied Mr. Gundrum on inspection.

C.R. Finn, CWO-4
GRP NYK USSF A/N OFF.

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) no action needed

Frank P. Schubert

(Signature of Officer-in-charge)

28 Jan., 19 71

(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 15 March, 19 71
 Inspection made by CHARSEN C. FINN, ASST A/W OFFICER

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Inspected station, found in usual excellent condition. Bell tower is showing need of painting maintenance. Tower painting and driveway contracts are still much needed.

J. R. Finn, CWO-4, USCG

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) no action needed

Frank P. Schubert
 (Signature of Officer-in-charge)
15 March, 19 71
 (Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 20 June, 19 71
 Inspection made by CHARSEN C. R. FINN, USCG

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Inspected station, situation as usual. Bell tower painted. District contracts pending driveway & painting of towers.

J. R. Finn,
CWO-4, USCG

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) no action needed

Frank P. Schubert
 (Signature of Officer-in-charge)
20 June, 19 71
 (Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 20 July, 19 71

Inspection made by C. S. Gunn, CWO-4, USCG

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Station remains in usual condition, excellent. Conditions as before awaiting district action.

*C. S. Gunn
CWO-4, USCG*

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) no action needed

Frank P. Schilb
(Signature of Officer-in-charge)
20 July, 19 71
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 5 August, 19 71

Inspection made by C. S. Gunn, CWO-4, USCG

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Visited station and discussed station problems. All minor problems being resolved. No major problems that can be handled except at district level.

C. S. Gunn

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) no action needed

Frank P. Schilb
(Signature of Officer-in-charge)
5 August, 19 71
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 17 February, 1972

Inspection made by CCGD3 (di)

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Conducted regular bi-annual material inspection of light and quarters.

Inspection Party consisted of:

CWO2 C. J. CASTELLO (ecv)

CWO2 W. A. GREGORY (di)

QM1 S. P. RUELKE (O2W)

LT E. J. WILLIAMS (Group Representative)

Report of inspection will be forwarded to the unit.

W. A. Gregory
CWO2, USCG

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) *No action needed*

Frank P. Schubert
(Signature of Officer-in-charge)

17 February, 1972

(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 29 August, 1972

Inspection made by XO, Dep Group Comm, Cde Group NYH

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Visited station and observed status of boiler repair. Boiler to be installed next few days. Station clean & ship shape.

CDR S. O. Therrington *By XO*

LCDR A. B. Chittick *Group Dep Comm*

LCDR W. Huber *Group Ops*

A. B. Chittick

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) *No action needed*

F. P. Schubert
(Signature of Officer-in-charge)

29 Aug, 1972

(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 5 September, 1973

Inspection made by L.T. H.E. WALTER

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Annual civil engineering inspection conducted this date in company with LCDR Huber, Group XO. Overall appearance of station is excellent. Full report to be forwarded to unit.

H.E. Walter

Station appearance is excellent.

Huber, LCDR

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No action needed

Frank P. Schubert
(Signature of Officer-in-charge)

6 September, 1973
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 5 April, 1974

Inspection made by CAPT E.A. DELANEY - 3660(di)

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Conducted District Staff Inspection. Routine letter report will follow. The Station is well-maintained and presents a good appearance.

E.A. Delaney

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No action needed

Frank P. Schubert
(Signature of Officer-in-charge)

5 April, 1974
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 6 August, 1974

Inspection made by LT BRONSTEIN GRUNY
CWO RAPP GRU ENG

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Familiarization visit. Appearance of Station is excellent. Work needed on windows, shingles, porch. ECU inspection to follow shortly.

[Signature]

Fence in front of building should be completed due to trespassing problem. Will check with ECU.

[Signature]

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

repaired shingles painted porch

Frank P. Schubert
(Signature of Officer-in-charge)

12 August, 1974
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 28 August, 1974

Inspection made by Lt Beach, Lt Shaw, CWO Rapp

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Annual civil engineering inspection was conducted this date. Unit was found in excellent condition with no major discrepancies. A full report will follow.

JL Beach LT.

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

No action needed

Frank P. Schubert
(Signature of Officer-in-charge)

28 Aug, 1974
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 4 October 1974, 19

Inspection made by YNCS RALPH D. WEDERTZ - GROUP NYK

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Purged publications holdings and instructions held by stationkeeper. Familiarization visit of Group unit. Publications up to date that are necessary for operation of unit. Need to enter Change 23 to CCGDTHREE OPLAN 1-FY.

*YNCS Ralph D. Wedertz
Group New York.*

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) *No action needed*

J.P. Schubert
(Signature of Officer-in-charge)

5 October, 1974
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 24 JANUARY, 19 75

Inspection made by W. SCHWURR ENS. USCGR

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Final inspection of new chain link fence and gates in driveway area. Material & workmanship satisfactory

William Schwurr ENS USCGR

CCGD3 (ECV)

Joseph J. Zygarak Construction Inspector

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) *No action needed*

J.P. Schubert
(Signature of Officer-in-charge)

24 January, 1975
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected March 27,, 1975

Inspection made by CDR D G Kneip Deputy Group Cdr

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Station inspected this date. all appears to be in excellent condition.

D G Kneip

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No action needed

F P Schubert

(Signature of Officer-in-charge)

27 March, 1975

(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 7 October, 1975

Inspection made by LTJG D S GILBERT, ENS R M FLOOD, CWOPS, HARRIS

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Conducted familiarization visit and informal inspection. Station appears to be in excellent condition. S. Gilbert

Made the annual CCGD3 (ECV) inspection. This Station is well maintained and the light is operating properly. S M Flood ENS USCGR

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No action needed

F P Schubert

(Signature of Officer-in-charge)

7 October, 1975

(Date)

16-19079-1

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected Chey Island Light Station, 19 10 Dec 75

Inspection made by LTJG M. C. Cury, CWO Harris, CWO Minzy

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Inspected station this date. No discrepancies noted.
Station appears in excellent condition.

LTJG B. W. [Signature]

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No action needed

F. P. Schubert
(Signature of Officer-in-charge)

10 December, 19 75
(Date)

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 28 January, 19 76

Inspection made by District Inspection Staff

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Visited unit this date for purpose of conducting
bi-ennial District Staff Inspection.

Inspectors consisted of:

CAPT WAGNER, Chief, Inspection Staff

LCDR SMOKE (OAN)

YNI KIMME (di)

YNI BORCHERT (di)

CWO MINNZE was the Group Representative

A complete written report of inspection
to follow.

[Signature], CAPT, USCG.

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No action needed

F. P. Schubert
(Signature of Officer-in-charge)

28 January, 19 76
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 24 Feb., 1976

Inspection made by GRDCOM NYK

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Familiarization visit - condition grounds and bldg. - outstanding.

Accompanied by: GDR K. W. P. - to BMI STEWART - AVER

Inspected night tower - & activated light. - Tuned light. Sun relay activated

Enjoyed the Schubert hospitality. Many thanks

*J. P. Schubert
CAPT USCG*

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No action needed

J. P. Schubert
(Signature of Officer-in-charge)

24 Feb., 1976
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 2 June, 1976

Inspection made by LTJG D. S. GILBERT SKCS BASC10

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Visited station to obtain information for FY-76 budget. Station appears to be in excellent condition

D. S. Gilbert
LTJG USCGR

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No action needed

J. P. Schubert
(Signature of Officer-in-charge)

2 June, 1976
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 27 Sept, 1976

Inspection made by ENS FLOOD

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Annual ecv inspection. Light and
station in excellent condition.
J.M. Flood

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No action needed

F.P. Schubert
(Signature of Officer-in-charge)

27 Sept, 1976
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 11 May, 1977

Inspection made by ENS Smith / SKCS Bascio

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Visited station to prepare FY78 Budget
Station appeared to be in excellent
financial status

Re Smith

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No action needed

F.P. Schubert
(Signature of Officer-in-charge)

11 May, 1977
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 2 AUGUST, 1977

Inspection made by LT D.R. SHRAEDER

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

ANNUAL (ECV) INSPECTION — STATION & LIGHT IN EXCELLENT CONDITION.

D.R. Shraeder LT, USCG

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No action needed

Frank P. Schubert
(Signature of Officer-in-charge)

21 August, 1977
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 10 JAN, 1978

Inspection made by MR. HURT, MR. HARRIS, SKCS BASCIO, YNL TANTOCO, SK2 BARR

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Conducted annual change inspection with representatives of engineering, supply and personnel branches. Condition of grounds, main building and light is excellent.

Phet Feb 4 1978 USCG

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No Action Needed

F.P. Schubert
(Signature of Officer-in-charge)

10 Jan, 1978
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 18 JANUARY, 19 78

Inspection made by LCDR J.C. ARMIT

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Bi-ennial visit of District Inspection
Staff - Group NY observers CWO HUNT and
CWO Harris

Light, hulling & grounds in excellent
condition

Complete report to follow

J.C. Armit
LCDR USCG
Senior Inspector As Ism

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No Action Needed

F.P. Schubert
(Signature of Officer-in-charge)

18 January, 19 78
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 1 August, 19 78

Inspection made by CWO Hunt, CWO Ocker, MCPO Mancini

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Annual ECV Inspection conducted by MCPO Mancini
(ECV) - Station and Light in excellent condition

CWO Hunt

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No action needed

Frank P. Schubert
(Signature of Officer-in-charge)

1 August, 19 78
(Date)

16-19079-1

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 27 October, 1978

Inspection made by LTSJ Goldstein

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

QUARTERLY SUPPLY INSPECTION - STATION RECORDS IN EXCELLENT CONDITION. OVERALL APPEARANCE OF THE STATION - OUTSTANDING.

[Signature]

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No Action Needed

Frank P. Schubert

(Signature of Officer-in-charge)

27 October, 1978

(Date)

16-19079-1

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 27 November, 1978

Inspection made by GRUCOM NYK

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Aboard with LCDR Ouko, GRP OBS + CWO Ogile, GRP ENG, to visit station and present Annual CIV ENG. INSPECTION REPORT which was outstanding. Also discussed status of efforts to increase compensation of LIGHTKEEPER. Discussed future plans of Coast Guard for Covey Island Lt and keepers personal plans.

Conducted material inspection of property and quarters. Did not activate aids and equipment for tests. This station is in outstanding shape - a real tribute to Mr & Mrs Schubert. Well Done. J. L. Fushell

Lt J. L. Fushell

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No action needed

Frank P. Schubert

(Signature of Officer-in-charge)

27 November, 1978

(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 7 Aug, 1979
Inspection made by CWO Holland CCGD3 (CO), CWO Weeks (group)

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Civil engineering inspection held this date.
This place is in excellent condition.
B. M. Holland

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No Action Needed

Frank P. Schubert
(Signature of Officer-in-charge)
7 Aug, 1979
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 7 Jan, 1980
Inspection made by Lt(jg) J. M. Sellossi CCGD3 (CO)

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Atom inspection held this date. Building and
grounds in outstanding condition.
J. M. Sellossi

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No Action Needed

Frank P. Schubert
(Signature of Officer-in-charge)
7 Jan, 1980
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 14 November, 19 80.

Inspection made by CWO G. Borlase. ASSIST. SAFETY OFFICER

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Building and grounds are in good shape and Mr Schubert has done a good job keeping up the station.

CWO G. Borlase

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No Action Needed

Frank P. Schubert
(Signature of Officer-in-charge)
14 November, 19 80
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 6 Jan, 19 81.

Inspection made by CCGD 3 (di)

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Bi-ennial visit of District Inspection Staff - a formal report will follow at a later date.

Senior Inspector: LT G. H. BUCKLEW

CWO M. E. WEST

QM2 J. C. ACOSTA

Group of observers in attendance:

*CWO K. Steg, CWO C. A. Reynolds
Building, grounds and light are in an excellent condition. Mr & Mrs Schubert show a lot pride in maintaining this station.*

SPBullw, LT

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No Action Needed

Frank P. Schubert
(Signature of Officer-in-charge)
6 Jan, 19 81
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 24 July, 1981

Inspection made by Cdr. Glenn E. Haines

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Visited Coney Island LT in company with LCDR OHIO and LCDR Leone for orientation. Station and grounds in excellent condition. No major problems raised by Mr + Mrs. Schubert.

G. E. Haines, Cdr. USCG

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No action needed

Frank P. Schubert
(Signature of Officer-in-charge)

24 July, 1981
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 24 February, 1982

Inspection made by LTJG T.M. Mallon + DCC S.P. Alexander

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Visited Coney Island LT for familiarization/housing inspection. Noted condition of housing and grounds in excellent condition. Thanks for the hospitality!

T.M. Mallon LTJG, USCG

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No action needed

Frank P. Schubert
(Signature of Officer-in-charge)

24 Feb, 1982
(Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 10 May, 1982
Inspection made by Captain B.E. Joyce Group Commander

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Inspected station and grounds. All in excellent condition and reflects a high degree of regular maintenance. Excellent hospitality.

B.E. Joyce

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No Action Needed

Frank P. Schubert
(Signature of Officer-in-charge)

10 May, 1982
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected 18 June, 1982
Inspection made by LCDR Michael A. Leone, OPS Officer

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Made inspection of station and grounds along with CWO-2 Macallan to check to see if work items from D.I. had been completed. Found the station and grounds to be in outstanding condition. The Building had been recently painted. The files were purged and found station administration to be in excellent condition. A new property list was dropped off. I was most impressed w. the condition of the premises and enjoyed the hospitality. The condition of the station reflects most favorably on the pride and hardwork of the station keeper.

Michael A. Leone

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No Action Needed

Frank P. Schubert
(Signature of Officer-in-charge)

18 June, 1982
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected *Coney Island Lt. 7 August, 1982*

Inspection made by *Captain J. L. McDonald Group Commander*

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Conducted a material inspection of the entire facility, light, and house. Entire place was in excellent shape and extremely well cared for. Hospitality was outstanding. - a real pleasure to visit.

James L. McDonald

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) *No Action Needed*

Frank P. Schubert
(Signature of Officer-in-charge)

7 Aug, 1982
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected *Coney Island Lt. March, 1983*

Inspection made by *Captain J. L. McDonald Group Commander*

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Visited Coney Island Light Station along with Group Supply Officer Lt. Mallon. Particular interest as to needs of the station and relationship with Group. Found everything in outstanding shape! New cabinets in kitchen were exceptional! Did find that Group needed to follow up on asbestos removal of ceiling piping and purchasing of new rug for first floor of the house (living room & dining room). Also need to check on painting of light as it was painted 9-10 years ago. The Schuberts have done an outstanding job of keeping up with the maintenance of the station.

James L. McDonald

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) *No Action Needed*

Frank P. Schubert
(Signature of Officer-in-charge)

30 March, 1983
(Date)

16-19079-1

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected Capt J. H. McDonald, 19 83
 Inspection made by 3 November 1983 Group Cdr.

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Station inspected by Group Cdr.; Lcdr Leone, Group Operations Officer and Ens Mark O'Malley Group Supply Officer. Material inspection excellent. Asbestos removal in cellar of house to be completed within next few months. Contract let. Tower needs painting. Group Engineering to submit SSMR. Conditions overall excellent. Good coffee and cake! New rugs look outstanding!!

J. H. McDonald

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No Action Needed

Frank P. Schubert
 (Signature of Officer-in-charge)
3 November, 19 83
 (Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected Cdr M. W. Pearson, 19 84
 Inspection made by 17 JAN 84 GRVCOM

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

VISITED STATION WITH GROUP SUPPLY OFFICER + ED. UNIT LOOKS EXCELLENT. WILL FOLLOW UP ON SSMR TO REPAIR TOWER. NEW PIPE LAGGING BIG IMPROVEMENT. APPRECIATE THE HOSPITALITY.

M. W. Pearson

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.) No Action Needed

Frank P. Schubert
 (Signature of Officer-in-charge)
17 January, 19 84
 (Date)

RECORD OF INSPECTIONS

(SEE INSTRUCTIONS ON INSIDE FRONT COVER)

Station inspected

BMC (L) Frank Harrison 22 Aug 84

Inspection made by

LAMP task order survey

Instructions to Officer-in-charge as to condition of station, special work to be attended to, etc.,

Station inspected and surveyed for upgrading to automation and to receive LAMP equipment and standby engine generator power.

STATEMENT BY OFFICER-IN-CHARGE

(Officer-in-charge will state hereon action taken on above instructions, and give date of completion of repairs, etc., if any were ordered.)

Lamp program to be designed and installed during FY 85.

(Signature of Officer-in-charge)

22 August, 1984

(Date)